

Southard Fire Department
NFIRS Apparatus Usage History (FEMA Version)

Date Range From 08/04/2020 to 08/04/2020

Units 19-3-68, 19-3-75, 19-3-76, 19-3-78, 19-3-86, 19-3-90, 19-3-93, 19-3-96, 19-3-99, 19-3-66, 19-3-67, 19-3-77, 19-3-88

Unit	Type	Incident #	Date	Address	Situation Found	Driver(s)	Time Out	Time In	Length
19-3-66	Other	2020-000390	08/04/2020	22 CLAYTON (OFF KENT) RD	Power line down		*12:11:24	12:24:00	00:12:36
19-3-66	Other	2020-000391	08/04/2020	95 LOCUST (OFF 9NB) AVE	Arcing, shorted electrical equipment		*12:25:22	12:35:00	00:09:38
19-3-66	Other	2020-000392	08/04/2020	4741 Highway 9, North	Power line down		*12:44:57	13:10:00	00:25:03
19-3-66	Other	2020-000393	08/04/2020	249 LANES POND RD	Building or structure weakened or collapsed		*12:51:02	13:10:00	00:18:58
19-3-66	Other	2020-000394	08/04/2020	143 Driftway Road	Power line down		*12:54:00	13:05:00	00:11:00
19-3-66	Other	2020-000395	08/04/2020	25 S Westfield	Wind storm, tornado/hurricane assessment		*12:55:00	13:15:00	00:20:00
19-3-66	Other	2020-000396	08/04/2020	1150 Highway 9, South	Power line down		*12:56:00	13:10:00	00:14:00
19-3-66	Other	2020-000397	08/04/2020	23 Clayton Road	Arcing, shorted electrical equipment		*12:56:00	13:15:00	00:19:00
19-3-66	Other	2020-000398	08/04/2020	19 Willow Ave	Power line down		*12:57:00	13:15:00	00:18:00
19-3-66	Other	2020-000399	08/04/2020	73 Sylvan Blvd	Arcing, shorted electrical equipment		*12:57:00	13:17:00	00:20:00
19-3-66	Other	2020-000400	08/04/2020	25 Newbury Road	Wind storm, tornado/hurricane assessment		*12:58:00	13:20:00	00:22:00
19-3-66	Other	2020-000401	08/04/2020	383 Lanes Pond Road	Wind storm, tornado/hurricane assessment		*13:11:00	13:20:00	00:09:00
19-3-66	Other	2020-000402	08/04/2020	4201 Highway 9, North	Power line down		*13:12:00	13:25:00	00:13:00
19-3-66	Other	2020-000403	08/04/2020	34 Old Bridge Drive	Arcing, shorted electrical equipment		*13:16:00	13:39:00	00:23:00
19-3-66	Other	2020-000404	08/04/2020	37 Spring Hill Drive	Smoke scare, odor of smoke		*13:30:00	14:10:00	00:40:00
19-3-66	Other	2020-000405	08/04/2020	33 Spring Hill Drive	Smoke scare, odor of smoke		*13:38:00	14:55:00	01:17:00
19-3-66	Other	2020-000406	08/04/2020	34 Spring Hill Drive	Smoke scare, odor of smoke		*13:38:00	14:39:00	01:01:00
19-3-66	Other	2020-000407	08/04/2020	35 Spring Hill Drive	Smoke scare, odor of smoke		*13:39:00	14:39:00	01:00:00
19-3-66	Other	2020-000408	08/04/2020	36 Spring Hill Drive	Smoke scare, odor of smoke		*13:39:00	14:39:00	01:00:00
19-3-66	Other	2020-000409	08/04/2020	39 Spring Hill Drive	Smoke scare, odor of smoke		*13:43:00	14:39:00	00:56:00
19-3-66	Other	2020-000410	08/04/2020	23 Willow Ave	Wind storm, tornado/hurricane assessment		*13:53:00	14:39:00	00:46:00
19-3-66	Other	2020-000411	08/04/2020	34 Old Bridge Dr	Wind storm, tornado/hurricane assessment		*13:54:00	14:40:00	00:46:00
19-3-66	Other	2020-000412	08/04/2020	15 Newbury Cir	Power line down		*13:55:00	14:40:00	00:45:00
19-3-66	Other	2020-000413	08/04/2020	38 Spring Hill Dr	Smoke scare, odor of smoke		*13:57:00	14:08:00	00:11:00
19-3-66	Other	2020-000414	08/04/2020	41 Spring Hill Dr	Smoke scare, odor of smoke		*14:17:00	14:40:00	00:23:00
19-3-66	Other	2020-000415	08/04/2020	261 ALEXANDER AVE	Power line down		14:59:17	15:25:00	00:25:43
19-3-66	Other	2020-000416	08/04/2020	12 LAKEVIEW RD	Wind storm, tornado/hurricane assessment		*15:06:16	15:30:00	00:23:44
19-3-66	Other	2020-000417	08/04/2020	4 Pepperidge court	Wind storm, tornado/hurricane assessment		*16:38:00	17:10:00	00:32:00
19-3-66	Other	2020-000418	08/04/2020	257 ALEXANDER AVE	Arcing, shorted electrical equipment		16:42:00	16:51:00	00:09:00
19-3-66	Other	2020-000419	08/04/2020	70 DIAMOND LN	Alarm system sounded due to malfunction		*17:47:39	18:00:00	00:12:21
19-3-66	Other	2020-000420	08/04/2020	ESTELLE LN	Arcing, shorted electrical equipment		18:00:00	18:32:00	00:32:00
19-3-66	Other	2020-000421	08/04/2020	257 ALEXANDER AVE	Arcing, shorted electrical equipment		18:18:00	18:32:00	00:14:00
19-3-66	Other	2020-000422	08/04/2020	100 New Friendship Road	Removal of victim(s) from stalled elevator		20:15:00	20:32:00	00:17:00
19-3-66	Other	2020-000423	08/04/2020	11 SWEETBRIAR TRL	Carbon monoxide incident		*21:33:10	21:51:00	00:17:50
19-3-66	Other	2020-000424	08/04/2020	100 NEW FRIENDSHIP RD	Arcing, shorted electrical equipment		21:51:00	23:13:00	01:22:00
19-3-66	Other	2020-000425	08/04/2020	1100 MAXIM SOUTHARD RD	Good intent call, other		*22:02:59	22:13:00	00:10:01
19-3-67	Other	2020-000388	08/04/2020	224 BRY AVE	Alarm system sounded due to malfunction		*05:13:50	05:48:00	00:34:10
19-3-67	Other	2020-000389	08/04/2020	241 LANES POND RD	Power line down		05:53:00	06:20:00	00:27:00
19-3-67	Other	2020-000390	08/04/2020	22 CLAYTON (OFF KENT) RD	Power line down		*12:11:24	12:24:00	00:12:36
19-3-67	Other	2020-000391	08/04/2020	95 LOCUST (OFF 9NB) AVE	Arcing, shorted electrical equipment		*12:25:22	12:35:00	00:09:38
19-3-67	Other	2020-000392	08/04/2020	4741 Highway 9, North	Power line down		*12:44:57	13:10:00	00:25:03
19-3-67	Other	2020-000393	08/04/2020	249 LANES POND RD	Building or structure weakened or collapsed		*12:51:02	13:10:00	00:18:58
19-3-67	Other	2020-000394	08/04/2020	143 Driftway Road	Power line down		*12:54:00	13:05:00	00:11:00

Unit	Type	Incident #	Date	Address	Situation Found	Driver(s)	Time Out	Time In	Length
19-3-67	Other	2020-000395	08/04/2020	25 S Westfield	Wind storm, tornado/hurricane assessment		*12:55:00	13:15:00	00:20:00
19-3-67	Other	2020-000396	08/04/2020	1150 Highway 9, South	Power line down		*12:56:00	13:10:00	00:14:00
19-3-67	Other	2020-000397	08/04/2020	23 Clayton Road	Arcing, shorted electrical equipment		*12:56:00	13:15:00	00:19:00
19-3-67	Other	2020-000398	08/04/2020	19 Willow Ave	Power line down		*12:57:00	13:15:00	00:18:00
19-3-67	Other	2020-000399	08/04/2020	73 Sylvan Blvd	Arcing, shorted electrical equipment		*12:57:00	13:17:00	00:20:00
19-3-67	Other	2020-000400	08/04/2020	25 Newbury Road	Wind storm, tornado/hurricane assessment		*12:58:00	13:20:00	00:22:00
19-3-67	Other	2020-000401	08/04/2020	383 Lanes Pond Road	Wind storm, tornado/hurricane assessment		*13:11:00	13:20:00	00:09:00
19-3-67	Other	2020-000402	08/04/2020	4201 Highway 9, North	Power line down		*13:12:00	13:25:00	00:13:00
19-3-67	Other	2020-000403	08/04/2020	34 Old Bridge Drive	Arcing, shorted electrical equipment		*13:16:00	13:39:00	00:23:00
19-3-67	Other	2020-000404	08/04/2020	37 Spring Hill Drive	Smoke scare, odor of smoke		*13:30:00	14:10:00	00:40:00
19-3-67	Other	2020-000406	08/04/2020	34 Spring Hill Drive	Smoke scare, odor of smoke		*13:38:00	14:39:00	01:01:00
19-3-67	Other	2020-000405	08/04/2020	33 Spring Hill Drive	Smoke scare, odor of smoke		*13:38:00	14:55:00	01:17:00
19-3-67	Other	2020-000407	08/04/2020	35 Spring Hill Drive	Smoke scare, odor of smoke		*13:39:00	14:39:00	01:00:00
19-3-67	Other	2020-000408	08/04/2020	36 Spring Hill Drive	Smoke scare, odor of smoke		*13:39:00	14:39:00	01:00:00
19-3-67	Other	2020-000409	08/04/2020	39 Spring Hill Drive	Smoke scare, odor of smoke		*13:43:00	14:39:00	00:56:00
19-3-67	Other	2020-000410	08/04/2020	23 Willow Ave	Wind storm, tornado/hurricane assessment		*13:53:00	14:39:00	00:46:00
19-3-67	Other	2020-000411	08/04/2020	34 Old Bridge Dr	Wind storm, tornado/hurricane assessment		*13:54:00	14:40:00	00:46:00
19-3-67	Other	2020-000412	08/04/2020	15 Newbury Cir	Power line down		*13:55:00	14:40:00	00:45:00
19-3-67	Other	2020-000413	08/04/2020	38 Spring Hill Dr	Smoke scare, odor of smoke		*13:57:00	14:08:00	00:11:00
19-3-67	Other	2020-000414	08/04/2020	41 Spring Hill Dr	Smoke scare, odor of smoke		*14:17:00	14:40:00	00:23:00
19-3-67	Other	2020-000415	08/04/2020	261 ALEXANDER AVE	Power line down		14:59:17	15:25:00	00:25:43
19-3-67	Other	2020-000416	08/04/2020	12 LAKEVIEW RD	Wind storm, tornado/hurricane assessment		*15:06:16	15:30:00	00:23:44
19-3-67	Other	2020-000417	08/04/2020	4 Pepperidge court	Wind storm, tornado/hurricane assessment		*16:38:00	17:10:00	00:32:00
19-3-67	Other	2020-000418	08/04/2020	257 ALEXANDER AVE	Arcing, shorted electrical equipment		16:42:00	16:51:00	00:09:00
19-3-67	Other	2020-000419	08/04/2020	70 DIAMOND LN	Alarm system sounded due to malfunction		*17:47:39	18:00:00	00:12:21
19-3-67	Other	2020-000420	08/04/2020	ESTELLE LN	Arcing, shorted electrical equipment		18:00:00	18:32:00	00:32:00
19-3-67	Other	2020-000421	08/04/2020	257 ALEXANDER AVE	Arcing, shorted electrical equipment		18:18:00	18:32:00	00:14:00
19-3-67	Other	2020-000423	08/04/2020	11 SWEETBRIAR TRL	Carbon monoxide incident		*21:33:10	21:51:00	00:17:50
19-3-67	Other	2020-000424	08/04/2020	100 NEW FRIENDSHIP RD	Arcing, shorted electrical equipment		21:51:00	23:13:00	01:22:00
19-3-67	Other	2020-000425	08/04/2020	1100 MAXIM SOUTHARD RD	Good intent call, other		*22:02:59	22:13:00	00:10:01
19-3-68	Other	2020-000390	08/04/2020	22 CLAYTON (OFF KENT) RD	Power line down		*12:11:24	12:24:00	00:12:36
19-3-68	Other	2020-000391	08/04/2020	95 LOCUST (OFF 9NB) AVE	Arcing, shorted electrical equipment		*12:25:22	12:35:00	00:09:38
19-3-68	Other	2020-000392	08/04/2020	4741 Highway 9, North	Power line down		*12:44:57	13:10:00	00:25:03
19-3-68	Other	2020-000393	08/04/2020	249 LANES POND RD	Building or structure weakened or collapsed		*12:51:02	13:10:00	00:18:58
19-3-68	Other	2020-000394	08/04/2020	143 Driftway Road	Power line down		*12:54:00	13:05:00	00:11:00
19-3-68	Other	2020-000395	08/04/2020	25 S Westfield	Wind storm, tornado/hurricane assessment		*12:55:00	13:15:00	00:20:00
19-3-68	Other	2020-000396	08/04/2020	1150 Highway 9, South	Power line down		*12:56:00	13:10:00	00:14:00
19-3-68	Other	2020-000397	08/04/2020	23 Clayton Road	Arcing, shorted electrical equipment		*12:56:00	13:15:00	00:19:00
19-3-68	Other	2020-000398	08/04/2020	19 Willow Ave	Power line down		*12:57:00	13:15:00	00:18:00
19-3-68	Other	2020-000399	08/04/2020	73 Sylvan Blvd	Arcing, shorted electrical equipment		*12:57:00	13:17:00	00:20:00
19-3-68	Other	2020-000400	08/04/2020	25 Newbury Road	Wind storm, tornado/hurricane assessment		*12:58:00	13:20:00	00:22:00
19-3-68	Other	2020-000401	08/04/2020	383 Lanes Pond Road	Wind storm, tornado/hurricane assessment		*13:11:00	13:20:00	00:09:00
19-3-68	Other	2020-000402	08/04/2020	4201 Highway 9, North	Power line down		*13:12:00	13:25:00	00:13:00
19-3-68	Other	2020-000403	08/04/2020	34 Old Bridge Drive	Arcing, shorted electrical equipment		*13:16:00	13:39:00	00:23:00
19-3-68	Other	2020-000404	08/04/2020	37 Spring Hill Drive	Smoke scare, odor of smoke		*13:30:00	14:10:00	00:40:00
19-3-68	Other	2020-000405	08/04/2020	33 Spring Hill Drive	Smoke scare, odor of smoke		*13:38:00	14:55:00	01:17:00
19-3-68	Other	2020-000406	08/04/2020	34 Spring Hill Drive	Smoke scare, odor of smoke		*13:38:00	14:39:00	01:01:00
19-3-68	Other	2020-000407	08/04/2020	35 Spring Hill Drive	Smoke scare, odor of smoke		*13:39:00	14:39:00	01:00:00

Unit	Type	Incident #	Date	Address	Situation Found	Driver(s)	Time Out	Time In	Length
19-3-68	Other	2020-000408	08/04/2020	36 Spring Hill Drive	Smoke scare, odor of smoke		*13:39:00	14:39:00	01:00:00
19-3-68	Other	2020-000409	08/04/2020	39 Spring Hill Drive	Smoke scare, odor of smoke		*13:43:00	14:39:00	00:56:00
19-3-68	Other	2020-000410	08/04/2020	23 Willow Ave	Wind storm, tornado/hurricane assessment		*13:53:00	14:39:00	00:46:00
19-3-68	Other	2020-000411	08/04/2020	34 Old Bridge Dr	Wind storm, tornado/hurricane assessment		*13:54:00	14:40:00	00:46:00
19-3-68	Other	2020-000412	08/04/2020	15 Newbury Cir	Power line down		*13:55:00	14:40:00	00:45:00
19-3-68	Other	2020-000413	08/04/2020	38 Spring Hill Dr	Smoke scare, odor of smoke		*13:57:00	14:08:00	00:11:00
19-3-68	Other	2020-000414	08/04/2020	41 Spring Hill Dr	Smoke scare, odor of smoke		*14:17:00	14:40:00	00:23:00
19-3-68	Other	2020-000415	08/04/2020	261 ALEXANDER AVE	Power line down		14:59:17	15:25:00	00:25:43
19-3-68	Other	2020-000416	08/04/2020	12 LAKEVIEW RD	Wind storm, tornado/hurricane assessment		*15:06:16	15:30:00	00:23:44
19-3-68	Other	2020-000417	08/04/2020	4 Pepperidge court	Wind storm, tornado/hurricane assessment		*16:38:00	17:10:00	00:32:00
19-3-68	Other	2020-000418	08/04/2020	257 ALEXANDER AVE	Arcing, shorted electrical equipment		16:42:00	16:51:00	00:09:00
19-3-68	Other	2020-000419	08/04/2020	70 DIAMOND LN	Alarm system sounded due to malfunction		*17:47:39	18:00:00	00:12:21
19-3-68	Other	2020-000420	08/04/2020	ESTELLE LN	Arcing, shorted electrical equipment		18:00:00	18:32:00	00:32:00
19-3-68	Other	2020-000421	08/04/2020	257 ALEXANDER AVE	Arcing, shorted electrical equipment		18:18:00	18:32:00	00:14:00
19-3-68	Other	2020-000422	08/04/2020	100 New Friendship Road	Removal of victim(s) from stalled elevator		20:15:00	20:32:00	00:17:00
19-3-68	Other	2020-000423	08/04/2020	11 SWEETBRIAR TRL	Carbon monoxide incident		*21:33:10	21:51:00	00:17:50
19-3-68	Other	2020-000424	08/04/2020	100 NEW FRIENDSHIP RD	Arcing, shorted electrical equipment		21:51:00	23:13:00	01:22:00
19-3-68	Other	2020-000425	08/04/2020	1100 MAXIM SOUTHARD RD	Good intent call, other		*22:02:59	22:13:00	00:10:01
19-3-75	Suppression	2020-000389	08/04/2020	241 LANES POND RD	Power line down	Giordano	05:53:00	06:20:00	00:27:00
19-3-75	Suppression	2020-000390	08/04/2020	22 CLAYTON (OFF KENT) RD	Power line down	Giordano	*12:11:24	12:24:00	00:12:36
19-3-75	Suppression	2020-000391	08/04/2020	95 LOCUST (OFF 9NB) AVE	Arcing, shorted electrical equipment	Giordano	*12:25:22	12:35:00	00:09:38
19-3-75	Suppression	2020-000392	08/04/2020	4741 Highway 9, North	Power line down	Giordano	*12:44:57	13:10:00	00:25:03
19-3-75	Suppression	2020-000393	08/04/2020	249 LANES POND RD	Building or structure weakened or collapsed	Giordano	*12:51:02	13:10:00	00:18:58
19-3-75	Suppression	2020-000394	08/04/2020	143 Driftway Road	Power line down	Giordano	*12:54:00	13:05:00	00:11:00
19-3-75	Suppression	2020-000395	08/04/2020	25 S Westfield	Wind storm, tornado/hurricane assessment	Giordano	*12:55:00	13:15:00	00:20:00
19-3-75	Suppression	2020-000396	08/04/2020	1150 Highway 9, South	Power line down	Giordano	*12:56:00	13:10:00	00:14:00
19-3-75	Suppression	2020-000397	08/04/2020	23 Clayton Road	Arcing, shorted electrical equipment	Giordano	*12:56:00	13:15:00	00:19:00
19-3-75	Suppression	2020-000398	08/04/2020	19 Willow Ave	Power line down	Giordano	*12:57:00	13:15:00	00:18:00
19-3-75	Suppression	2020-000399	08/04/2020	73 Sylvan Blvd	Arcing, shorted electrical equipment	Giordano	*12:57:00	13:17:00	00:20:00
19-3-75	Suppression	2020-000400	08/04/2020	25 Newbury Road	Wind storm, tornado/hurricane assessment	Giordano	*12:58:00	13:20:00	00:22:00
19-3-75	Suppression	2020-000401	08/04/2020	383 Lanes Pond Road	Wind storm, tornado/hurricane assessment	Giordano	*13:11:00	13:20:00	00:09:00
19-3-75	Suppression	2020-000402	08/04/2020	4201 Highway 9, North	Power line down	Giordano	*13:12:00	13:25:00	00:13:00
19-3-75	Suppression	2020-000403	08/04/2020	34 Old Bridge Drive	Arcing, shorted electrical equipment		*13:16:00	13:39:00	00:23:00
19-3-75	Suppression	2020-000404	08/04/2020	37 Spring Hill Drive	Smoke scare, odor of smoke	Giordano	*13:30:00	14:10:00	00:40:00
19-3-75	Suppression	2020-000405	08/04/2020	33 Spring Hill Drive	Smoke scare, odor of smoke	Giordano	*13:38:00	14:55:00	01:17:00
19-3-75	Suppression	2020-000406	08/04/2020	34 Spring Hill Drive	Smoke scare, odor of smoke	Giordano	*13:38:00	14:39:00	01:01:00
19-3-75	Suppression	2020-000407	08/04/2020	35 Spring Hill Drive	Smoke scare, odor of smoke	Giordano	*13:39:00	14:39:00	01:00:00
19-3-75	Suppression	2020-000408	08/04/2020	36 Spring Hill Drive	Smoke scare, odor of smoke	Giordano	*13:39:00	14:39:00	01:00:00
19-3-75	Suppression	2020-000409	08/04/2020	39 Spring Hill Drive	Smoke scare, odor of smoke	Giordano	*13:43:00	14:39:00	00:56:00
19-3-75	Suppression	2020-000410	08/04/2020	23 Willow Ave	Wind storm, tornado/hurricane assessment	Giordano	*13:53:00	14:39:00	00:46:00
19-3-75	Suppression	2020-000411	08/04/2020	34 Old Bridge Dr	Wind storm, tornado/hurricane assessment	Giordano	*13:54:00	14:40:00	00:46:00
19-3-75	Suppression	2020-000412	08/04/2020	15 Newbury Cir	Power line down	Giordano	*13:55:00	14:40:00	00:45:00
19-3-75	Suppression	2020-000413	08/04/2020	38 Spring Hill Dr	Smoke scare, odor of smoke	Giordano	*13:57:00	14:08:00	00:11:00
19-3-75	Suppression	2020-000414	08/04/2020	41 Spring Hill Dr	Smoke scare, odor of smoke	Giordano	*14:17:00	14:40:00	00:23:00
19-3-75	Suppression	2020-000415	08/04/2020	261 ALEXANDER AVE	Power line down	Giordano	14:59:17	15:25:00	00:25:43
19-3-75	Suppression	2020-000416	08/04/2020	12 LAKEVIEW RD	Wind storm, tornado/hurricane assessment	Giordano	*15:06:16	15:30:00	00:23:44
19-3-75	Suppression	2020-000417	08/04/2020	4 Pepperidge court	Wind storm, tornado/hurricane assessment	Giordano	*16:38:00	17:10:00	00:32:00
19-3-75	Suppression	2020-000420	08/04/2020	ESTELLE LN	Arcing, shorted electrical equipment		18:00:00	18:32:00	00:32:00

Unit	Type	Incident #	Date	Address	Situation Found	Driver(s)	Time Out	Time In	Length
19-3-75	Suppression	2020-000423	08/04/2020	11 SWEETBRIAR TRL	Carbon monoxide incident	Guirguis	*21:33:10	21:51:00	00:17:50
19-3-75	Suppression	2020-000424	08/04/2020	100 NEW FRIENDSHIP RD	Arcing, shorted electrical equipment	Guirguis	21:51:00	23:13:00	01:22:00
19-3-75	Suppression	2020-000425	08/04/2020	1100 MAXIM SOUTHARD RD	Good intent call, other		*22:02:59	22:13:00	00:10:01
19-3-77	Suppression	2020-000388	08/04/2020	224 BRY AVE	Alarm system sounded due to malfunction	Tucker	*05:13:50	05:48:00	00:34:10
19-3-77	Suppression	2020-000389	08/04/2020	241 LANES POND RD	Power line down	Tucker	*05:53:00	06:20:00	00:27:00
19-3-77	Suppression	2020-000390	08/04/2020	22 CLAYTON (OFF KENT) RD	Power line down	Guirguis	*12:11:24	12:24:00	00:12:36
19-3-77	Suppression	2020-000391	08/04/2020	95 LOCUST (OFF 9NB) AVE	Arcing, shorted electrical equipment	Guirguis	*12:25:22	12:35:00	00:09:38
19-3-77	Suppression	2020-000392	08/04/2020	4741 Highway 9, North	Power line down		*12:44:57	13:10:00	00:25:03
19-3-77	Suppression	2020-000393	08/04/2020	249 LANES POND RD	Building or structure weakened or collapsed		*12:51:02	13:10:00	00:18:58
19-3-77	Suppression	2020-000394	08/04/2020	143 Driftway Road	Power line down	Guirguis	*12:54:00	13:05:00	00:11:00
19-3-77	Suppression	2020-000395	08/04/2020	25 S Westfield	Wind storm, tornado/hurricane assessment	Guirguis	*12:55:00	13:15:00	00:20:00
19-3-77	Suppression	2020-000397	08/04/2020	23 Clayton Road	Arcing, shorted electrical equipment		*12:56:00	13:15:00	00:19:00
19-3-77	Suppression	2020-000396	08/04/2020	1150 Highway 9, South	Power line down	Guirguis, Matos Sr.	*12:56:00	13:10:00	00:14:00
19-3-77	Suppression	2020-000399	08/04/2020	73 Sylvan Blvd	Arcing, shorted electrical equipment	Guirguis	*12:57:00	13:17:00	00:20:00
19-3-77	Suppression	2020-000398	08/04/2020	19 Willow Ave	Power line down	Guirguis	*12:57:00	13:15:00	00:18:00
19-3-77	Suppression	2020-000400	08/04/2020	25 Newbury Road	Wind storm, tornado/hurricane assessment	Guirguis	*12:58:00	13:20:00	00:22:00
19-3-77	Suppression	2020-000401	08/04/2020	383 Lanes Pond Road	Wind storm, tornado/hurricane assessment	Guirguis	*13:11:00	13:20:00	00:09:00
19-3-77	Suppression	2020-000402	08/04/2020	4201 Highway 9, North	Power line down	Guirguis	*13:12:00	13:25:00	00:13:00
19-3-77	Suppression	2020-000403	08/04/2020	34 Old Bridge Drive	Arcing, shorted electrical equipment	Guirguis	*13:16:00	13:39:00	00:23:00
19-3-77	Suppression	2020-000404	08/04/2020	37 Spring Hill Drive	Smoke scare, odor of smoke		*13:30:00	14:10:00	00:40:00
19-3-77	Suppression	2020-000406	08/04/2020	34 Spring Hill Drive	Smoke scare, odor of smoke	Guirguis	*13:38:00	14:39:00	01:01:00
19-3-77	Suppression	2020-000405	08/04/2020	33 Spring Hill Drive	Smoke scare, odor of smoke	Guirguis	*13:38:00	14:55:00	01:17:00
19-3-77	Suppression	2020-000408	08/04/2020	36 Spring Hill Drive	Smoke scare, odor of smoke	Guirguis	*13:39:00	14:39:00	01:00:00
19-3-77	Suppression	2020-000407	08/04/2020	35 Spring Hill Drive	Smoke scare, odor of smoke	Guirguis	*13:39:00	14:39:00	01:00:00
19-3-77	Suppression	2020-000409	08/04/2020	39 Spring Hill Drive	Smoke scare, odor of smoke	Guirguis	*13:43:00	14:39:00	00:56:00
19-3-77	Suppression	2020-000410	08/04/2020	23 Willow Ave	Wind storm, tornado/hurricane assessment	Guirguis	*13:53:00	14:39:00	00:46:00
19-3-77	Suppression	2020-000411	08/04/2020	34 Old Bridge Dr	Wind storm, tornado/hurricane assessment	Guirguis	*13:54:00	14:40:00	00:46:00
19-3-77	Suppression	2020-000412	08/04/2020	15 Newbury Cir	Power line down	Guirguis	*13:55:00	14:40:00	00:45:00
19-3-77	Suppression	2020-000413	08/04/2020	38 Spring Hill Dr	Smoke scare, odor of smoke	Guirguis	*13:57:00	14:08:00	00:11:00
19-3-77	Suppression	2020-000414	08/04/2020	41 Spring Hill Dr	Smoke scare, odor of smoke	Guirguis	*14:17:00	14:40:00	00:23:00
19-3-77	Suppression	2020-000415	08/04/2020	261 ALEXANDER AVE	Power line down	Guirguis	14:59:17	15:25:00	00:25:43
19-3-77	Suppression	2020-000416	08/04/2020	12 LAKEVIEW RD	Wind storm, tornado/hurricane assessment	Matos Sr.	*15:06:16	15:30:00	00:23:44
19-3-77	Suppression	2020-000417	08/04/2020	4 Pepperidge court	Wind storm, tornado/hurricane assessment	Matos Sr.	*16:38:00	17:10:00	00:32:00
19-3-77	Suppression	2020-000418	08/04/2020	257 ALEXANDER AVE	Arcing, shorted electrical equipment	Matos Sr.	16:42:00	16:51:00	00:09:00
19-3-77	Suppression	2020-000419	08/04/2020	70 DIAMOND LN	Alarm system sounded due to malfunction	Matos Sr.	*17:47:39	18:00:00	00:12:21
19-3-77	Suppression	2020-000420	08/04/2020	ESTELLE LN	Arcing, shorted electrical equipment	Matos Sr.	18:00:00	18:32:00	00:32:00
19-3-77	Suppression	2020-000421	08/04/2020	257 ALEXANDER AVE	Arcing, shorted electrical equipment	Matos Sr.	18:18:00	18:32:00	00:14:00
19-3-77	Suppression	2020-000422	08/04/2020	100 New Friendship Road	Removal of victim(s) from stalled elevator	Scatorchia	20:15:00	20:32:00	00:17:00
19-3-77	Suppression	2020-000423	08/04/2020	11 SWEETBRIAR TRL	Carbon monoxide incident	Matos Sr.	*21:33:10	21:51:00	00:17:50
19-3-77	Suppression	2020-000424	08/04/2020	100 NEW FRIENDSHIP RD	Arcing, shorted electrical equipment	Matos Sr.	21:51:00	23:13:00	01:22:00
19-3-78	Suppression	2020-000404	08/04/2020	37 Spring Hill Drive	Smoke scare, odor of smoke	Grainger	*13:30:00	14:10:00	00:40:00
19-3-78	Suppression	2020-000405	08/04/2020	33 Spring Hill Drive	Smoke scare, odor of smoke	Grainger	*13:38:00	14:55:00	01:17:00
19-3-78	Suppression	2020-000406	08/04/2020	34 Spring Hill Drive	Smoke scare, odor of smoke	Grainger	*13:38:00	14:39:00	01:01:00
19-3-78	Suppression	2020-000408	08/04/2020	36 Spring Hill Drive	Smoke scare, odor of smoke	Grainger	*13:39:00	14:39:00	01:00:00
19-3-78	Suppression	2020-000407	08/04/2020	35 Spring Hill Drive	Smoke scare, odor of smoke	Grainger	*13:39:00	14:39:00	01:00:00
19-3-78	Suppression	2020-000409	08/04/2020	39 Spring Hill Drive	Smoke scare, odor of smoke	Grainger	*13:43:00	14:39:00	00:56:00
19-3-78	Suppression	2020-000410	08/04/2020	23 Willow Ave	Wind storm, tornado/hurricane assessment	Grainger	*13:53:00	14:39:00	00:46:00
19-3-78	Suppression	2020-000411	08/04/2020	34 Old Bridge Dr	Wind storm, tornado/hurricane assessment	Grainger	*13:54:00	14:40:00	00:46:00

Unit	Type	Incident #	Date	Address	Situation Found	Driver(s)	Time Out	Time In	Length
19-3-78	Suppression	2020-000412	08/04/2020	15 Newbury Cir	Power line down	Grainger	*13:55:00	14:40:00	00:45:00
19-3-78	Suppression	2020-000413	08/04/2020	38 Spring Hill Dr	Smoke scare, odor of smoke	Grainger	*13:57:00	14:08:00	00:11:00
19-3-78	Suppression	2020-000414	08/04/2020	41 Spring Hill Dr	Smoke scare, odor of smoke	Grainger	*14:17:00	14:40:00	00:23:00
19-3-78	Suppression	2020-000415	08/04/2020	261 ALEXANDER AVE	Power line down	Grainger	14:59:17	15:25:00	00:25:43
19-3-78	Suppression	2020-000416	08/04/2020	12 LAKEVIEW RD	Wind storm, tornado/hurricane assessment	Grainger	*15:06:16	15:30:00	00:23:44
19-3-78	Suppression	2020-000417	08/04/2020	4 Pepperidge court	Wind storm, tornado/hurricane assessment		*16:38:00	17:10:00	00:32:00
19-3-78	Suppression	2020-000419	08/04/2020	70 DIAMOND LN	Alarm system sounded due to malfunction	Grainger	*17:47:39	18:00:00	00:12:21
19-3-78	Suppression	2020-000420	08/04/2020	ESTELLE LN	Arcing, shorted electrical equipment	Grainger	18:00:00	18:32:00	00:32:00
19-3-78	Suppression	2020-000421	08/04/2020	257 ALEXANDER AVE	Arcing, shorted electrical equipment	Grainger	18:18:00	18:32:00	00:14:00
19-3-78	Suppression	2020-000423	08/04/2020	11 SWEETBRIAR TRL	Carbon monoxide incident	Johnson	*21:33:10	21:51:00	00:17:50
19-3-78	Suppression	2020-000424	08/04/2020	100 NEW FRIENDSHIP RD	Arcing, shorted electrical equipment	Johnson	21:51:00	23:13:00	01:22:00
19-3-86	Other	2020-000424	08/04/2020	100 NEW FRIENDSHIP RD	Arcing, shorted electrical equipment		21:51:00	23:13:00	01:22:00
19-3-88	Other	2020-000422	08/04/2020	100 New Friendship Road	Removal of victim(s) from stalled elevator	Ryan	20:15:00	20:32:00	00:17:00
19-3-88	Other	2020-000425	08/04/2020	1100 MAXIM SOUTHARD RD	Good intent call, other		*22:02:59	22:13:00	00:10:01
19-3-93	Suppression	2020-000390	08/04/2020	22 CLAYTON (OFF KENT) RD	Power line down	Ryan	*12:11:24	12:24:00	00:12:36
19-3-93	Suppression	2020-000391	08/04/2020	95 LOCUST (OFF 9NB) AVE	Arcing, shorted electrical equipment	Ryan	*12:25:22	12:35:00	00:09:38
19-3-93	Suppression	2020-000392	08/04/2020	4741 Highway 9, North	Power line down		*12:44:57	13:10:00	00:25:03
19-3-93	Suppression	2020-000393	08/04/2020	249 LANES POND RD	Building or structure weakened or collapsed		*12:51:02	13:10:00	00:18:58
19-3-93	Suppression	2020-000394	08/04/2020	143 Driftway Road	Power line down	Ryan	*12:54:00	13:05:00	00:11:00
19-3-93	Suppression	2020-000395	08/04/2020	25 S Westfield	Wind storm, tornado/hurricane assessment	Ryan	*12:55:00	13:15:00	00:20:00
19-3-93	Suppression	2020-000396	08/04/2020	1150 Highway 9, South	Power line down	Ryan	*12:56:00	13:10:00	00:14:00
19-3-93	Suppression	2020-000397	08/04/2020	23 Clayton Road	Arcing, shorted electrical equipment	Ryan	*12:56:00	13:15:00	00:19:00
19-3-93	Suppression	2020-000398	08/04/2020	19 Willow Ave	Power line down	Ryan	*12:57:00	13:15:00	00:18:00
19-3-93	Suppression	2020-000399	08/04/2020	73 Sylvan Blvd	Arcing, shorted electrical equipment	Ryan	*12:57:00	13:17:00	00:20:00
19-3-93	Suppression	2020-000400	08/04/2020	25 Newbury Road	Wind storm, tornado/hurricane assessment	Ryan	*12:58:00	13:20:00	00:22:00
19-3-93	Suppression	2020-000401	08/04/2020	383 Lanes Pond Road	Wind storm, tornado/hurricane assessment	Ryan	*13:11:00	13:20:00	00:09:00
19-3-93	Suppression	2020-000402	08/04/2020	4201 Highway 9, North	Power line down	Ryan	*13:12:00	13:25:00	00:13:00
19-3-93	Suppression	2020-000403	08/04/2020	34 Old Bridge Drive	Arcing, shorted electrical equipment	Ryan	*13:16:00	13:39:00	00:23:00
19-3-93	Suppression	2020-000415	08/04/2020	261 ALEXANDER AVE	Power line down		14:59:17	15:25:00	00:25:43
19-3-93	Suppression	2020-000416	08/04/2020	12 LAKEVIEW RD	Wind storm, tornado/hurricane assessment		*15:06:16	15:30:00	00:23:44
19-3-93	Suppression	2020-000417	08/04/2020	4 Pepperidge court	Wind storm, tornado/hurricane assessment		*16:38:00	17:10:00	00:32:00
19-3-93	Suppression	2020-000420	08/04/2020	ESTELLE LN	Arcing, shorted electrical equipment		18:00:00	18:32:00	00:32:00

Total Other	54.3 Hours					Total Responses 219	* Alarm Time is used over blank Time Out		107.9
Total Suppression	53.5 Hours								
Total EMS	0.0 Hours								